

DIRECT READING RODS

LASER/OPTICAL

TOUGH – LIGHTWEIGHT – VERSATILE

**BUILT IN REDMOND, OREGON
U.S.A**

FEATURES

Aluminum front and rear rods.

Made of high strength clear anodized aluminum for lightweight, rugged, dependable operation. They will not rust, split, splinter, swell or warp in any environment.

Tape has heavy duty matte textured mylar face.

Easy on the eyes in bright sunlight.
Protects the tape numbers from wear and fading.

Tape lock grommets are oversized,
heavy duty brass. Greatly minimizes the problem of tape tearing.

**Detector rail is black, high density,
U.V. stabilized for long life.**

Specifically designed to not become brittle when exposed to ultraviolet rays or direct sunlight.

Solid tape lock with internal brake slide.

Stronger, trouble-free operation.

Tape lock pin cannot puncture tape.

Designed not to tear, puncture or rip tape when pushed against tape face instead of the grommet hole.

DuPont nylon parts.

Tough and rugged for long-lasting life. Same material used for ski bindings and motorcycle parts.



ROD MODELS

THE LARGEST SELECTION AVAILABLE FOR LASER OR OPTICAL INSTRUMENTS!

LASER RODS

GR 1000: 10-foot in feet, tenths, hundredths, plus cut/ fill function

GR 1000T: 10-foot in large scale feet, tenths and hundredths

GR 1000I: 10-foot in inches cut/fill

GR 1000IT: 10-foot in inches and tenths (engineer style)

GR 1000M: 3-meter in metric scale reading down to 1/2 cm

GR 1000MCF: 3-meter plus cut/fill

GR 1450: 15-foot in feet, tenths, hundreds, plus cut/ fill function

GR 1450T: 15-foot in large scale feet, tenths and hundredths

GR 1450M: 5-meter in metric scale reading down to 1/2 cm

GR 1450MCF: 5-meter plus cut/fill

OPTICAL RODS

GR 10T: 10-foot in large scale feet, tenths and hundredths

GR 15T: 15-foot in large scale feet, tenths and hundredths

GR 10M: 3-meter in metric scale reading down to 1/2 cm

GR 15M: 5-meter in metric scale reading down to 1/2 cm

4-FOOT ROD EXTENSION

WORKS WITH ANY GR SERIES ROD!

Slides conveniently inside the rear rod when not in use

Allows you to extend the rod in one-foot increments up to four additional feet! 10-foot rods become 14-feet, and 15-foot rods become 19-feet.



Rod extension fully collapsed



Rod extension fully extended to 4'

CARRYING/STORAGE BAGS

STURDY BLACK CORDOVA NYLON WITH STRAP, VELCRO FLAP AND POCKET FOR BRACKET AND DETECTOR



DETECTOR BRACKETS

RUGGED LIGHTWEIGHT EXTRUDED ALUMINUM WITH BLACK ANODIZED FINISH.



B-1 LASER DETECTOR BRACKET

AGL LS-4

Apache 34 and 44

David White LD 18

Laser Alignment 4, 6 and 8

Laser Reference R-4

Nikon 3 and DS-30

Sokkia LR 100

Spectra Precision 1077, 1275 and 1274

Topcon LS-30, LS-50B, LS-70A and LS-70B

B-2 LASER DETECTOR BRACKET

Spectra Precision 1175, 1177 and 3075

B-1 T LASER DETECTOR BRACKET

Trimble HR500 and CR600

B-1 LA LASER DETECTOR BRACKET

Rod Eye Pro and Cyclone